


MOTIVATION


- Elevated requirements for online content motivated rebuilding online simulation tools in a secure framework.
- New online tool based on Web 4.0 HTML5 technologies.
- Improved visual and user-friendly environment.
- Interactive software for Filter Design, Linear Predictive Coding, FFT, Adaptive Filtering.



Implementation of Pole-Zero and Frequency response block in HTML5 based J-DSP

INTERFACE WITH SENSOR BOARDS


- New software now has the ability to acquire data from remote devices.
- The data acquired can be used to train a model using machine learning algorithms.



Basic Signal Processing Framework describing feature extraction and classification

INTERFACE WITH MOBILE DEVICES

- Classification of data acquired to monitor health condition.
- Human Activity Detection.




The interaction between DSP software, sensor boards and remote devices using wireless communications (Internet, Cloud, and Bluetooth)

MACHINE LEARNING ALGORITHMS

K-Means

- Euclidean distance is used as a metric and variance is used as a measure of cluster scatter.
- Feature learning in (semi-)supervised or unsupervised training.




K-means algorithm implemented on formant data in JDSP-HTML5


Voronoi Diagram

Multilayer Perceptron

- Learning occurs in the perceptron by changing iteratively connection weights using backpropagation.
- MLPs are used in diverse applications including speech and image recognition, and machine translation.



Artificial Neural Network with two hidden layers.



Multilayer Perceptron algorithm implemented in JDSP-HTML5

REFERENCES

- U. Shanthamallu, A. Spanias, C. Tepedelenioglu, M. Stanley, "A Brief Survey of Machine Learning Methods and their Sensor and IoT Applications," *Proceedings 8th IEEE IISA 2017*, Larnaca, August 2017.
- A. Dixit, S. Katoch, P. Spanias, M. Banavar, H. Song, A. Spanias, "Development of Signal Processing Online Labs using HTML5 and Mobile platforms," *IEEE FIE 2017*, Indianapolis, October, 2017.

ACKNOWLEDGEMENTS

This work is funded in part by the NSF DUE award 1525716 and the SenSIP Center.