

# Quantum Information Processing Algorithms with Emphasis on Machine Learning

Glen S. Uehara<sup>1</sup>, Andreas Spanias<sup>1</sup>, and William Clark<sup>2</sup>

<sup>1</sup>SenSIP Center, School of ECEE, Arizona State University, Tempe, AZ 85287, USA

<sup>2</sup>General Dynamics Mission Systems, 8220 East Roosevelt Street, Scottsdale, Arizona 85257, USA

**Abstract**— Quantum Computing (QC) promises to elevate computing speed by an estimated 100 million times. Several applications, including signal processing, machine learning, big data, communication, and cryptography, will benefit from quantum computing. This paper provides a brief survey of quantum information processing algorithms with an emphasis on machine learning. We begin first, covering with an introduction to quantum systems. Then we describe briefly the fundamental blocks and principles of quantum mechanics, and we present several related QC concepts such as qubits, correlation, and entanglement. We also present simulations and tools for the quantum implementation of select algorithms. We cover specifically Quantum Machine Learning (QML) and demonstrate simple implementations. The paper also describes current research and provides an extensive bibliography for further reading.

**Keywords**—Quantum Computing, qubit, entanglement, machine learning, signal processing, deep learning.

## I. INTRODUCTION

Quantum computing (QC) [1]–[10] promises to revolutionize information processing by providing efficient real-time solutions to computationally complex problems. For example, non-deterministic polynomial-time NP-hard problems [11] are believed to be well within the anticipated capabilities of quantum computers. The importance of QC is evidenced by the heavy global investments in quantum hardware and tools by government labs and private organizations [12]. This interest in QC stems from emerging opportunities and threats:

- Opportunities to invent and find solutions to problems beyond the reach of classical computing, which may catapult humanity into a sustainable and scalable future, with rich applications and robust markets; and
- Threats in that QC speed can be used to suppress rather than elevate humanity by breaking security protocols, hacking information systems, and realizing malevolent Artificial Intelligent systems.

QC will address needs in several application areas, including engineering, business, defense, health, and sustainability. More specifically, massive high-speed QC will impact several fields, including signal processing [9], [13], [14], machine learning [15]–[21], big data [22]–[26], communications [27], encryption [28], [29], sensors [30], [31], genomic analysis [32], the Internet of Things (IoT) [33], pattern matching [34], and solutions of massive linear and non-linear systems of equations

[35]. We are already witnessing quantum-inspired applications benefiting from exponential speed over classical algorithms such as linear algebra with sublinear complexity [36], [37]. Despite projections on processing speed, the greatest challenge is that the technology is still in the infancy stages, and quantum computing suffers from sensitivities to vibration, noise, and temperature. Hardware size, errors, and incredible costs are huge challenges in QC. At this point, only a few computing facilities are available, and high precision quantum computing is a great challenge.

Unlike classical computing that relies on binary arithmetic and microprocessors that are fundamentally stable, QC (Fig. 1) relies on quantum bits or *qubits*, which are inherently fragile. Qubit processing enables exponential growth in computing capabilities. For example, a two-qubit processor enables four simultaneous computations by leveraging *superposition* and *entanglement*. Similarly, a three-qubit processor facilitates eight calculations, etc.

Quantum computing is ultimately based on quantum mechanics [38]–[45], which is the theory that governs the interaction of quantum objects (electrons, photons, etc.). These interactions define the way that systems that consist of quantum objects evolve. In addition, they define how observable information may be extracted through measurement. While the theory of quantum mechanics (QM) is essential, it will not be the focus of this paper. Instead, we attempt to highlight the connections between QM and Quantum Information Processing (QIP). For example, entanglement is a QM correlation that allows qubits to exist in non-separable and non-local states. This in turn, enables qubits to be teleported (transferred) over distance and quantum gate operations to be performed at high speed.




Fig. 1. Quantum Computing. (Image from SenSIP [46])

Quantum information [47] is defined based on the state of the quantum system and qubits generally have two exclusive states, namely, state  $0$  and state  $1$ . However, based on the principles of quantum mechanics, qubit states are described in terms of probability. We can describe qubit processing and its relation to QC in terms of quantum gates and circuits. The quantum circuits are designed to realize quantum computations which are implemented on either a quantum simulator or an actual quantum computer.

Quantum Information theory describes the state of a quantum system and involves concepts such as entropy and probabilistic analysis [48]. The association of logical states with quantum systems was introduced by Von Neumann and Birkhoff [49]. In Fig. 2, we attempt to taxonomize quantum concepts and applications, including the systems and algorithms they enable.




Fig. 2. Taxonomy and organization of quantum theory, process, algorithms, and applications with the focus on quantum information processing.

Research demonstrated that quantum algorithms are beneficial in the communication field [50]. The utility of QIP in communications typically involves superdense coding and quantum protocols. Research in quantum communication and networking has been reported in [51], [52]. The increase in speed and information rate is essential for future secure communications and encryption. The authors of [53], [54] described entanglement assisted communications and explored the potential for improved capacity of quantum relative to classical communications. In addition, the potential of distributed quantum sensing was explored with experiments in [55] and quantum sensing protocols were reported in [56].

We note, for example, that Quantum Key Distribution (QKD) [57] is a unique method to authenticate communications between two parties.

As mentioned before, QIP and QC will impact several areas, including machine learning [15]–[21], [58]–[62], signal processing [9], [13], [14], and big data [25], [63]. Descriptions of multidisciplinary QC applications are described in [64], [65] and several quantum hardware and simulation systems have been developed. Some of the implementation platforms that have emerged recently for quantum-based algorithms and applications include: the Noisy Intermediate Scale Quantum (NISQ) technology [6], [66], [67] that currently enables quantum implementations. Systems from Honeywell [68], IBMQ, IonQ [69], and Xanadu [70] are currently available NISQ-era quantum systems for QC.

We attempt in this paper to briefly survey the QIP field and provide extensive bibliography in various QC application fields with the focus on machine learning. We organize the paper as follows. Section II summarizes the basics of quantum

mechanics, Section III presents quantum computing principles, and Section IV describes quantum information processing related research and bibliography. Section V presents applications in communications, and section VI describes machine learning implementations. Section VII provides additional references for further reading and VIII gives the conclusions.

## II. QUANTUM PHYSICS, MECHANICS AND MEASUREMENT

As mentioned earlier, quantum mechanics describe properties of nature at the scale of atoms and subatomic particles. At the quantum level, we can study the impact of QM on computing using *superposition*, *quantum measurement*, and *entanglement*. An introduction to quantum mechanics is given by Miller [42] and Dommelen [41]. We focus here first on quantum mechanics and highlight relations to QIP, and quantum enabled algorithms. We begin by introducing some of the necessary principles of quantum terminologies below.

### A. Quantum state

In quantum information theory, qubits such as classical bits have two exclusive states. These are defined as state  $0$  and state  $1$ . The laws of quantum mechanics treat these differently; instead of looking at a discrete value, we describe these states in terms of probability because of uncertainties and noise in QC. We provide more information below.

### B. Measurement

To determine the state of a qubit, we need to measure the system. The purpose of *quantum measurement* is to learn about the qubit's state. If we consider an atom or a photon, we can characterize its behavior in terms of its position and/or spin. The qubit's quantum state is in a superposition state until we take a *quantum measurement*. Once this measurement is made, it collapses the quantum state and transitions it to a component state. The component state is what is measured to get the new state. Quantum computing and qubit-based computations and error control require probabilistic analysis and matrix theory. Some of the mathematical, statistical, and geometric foundations are presented in the next section.

## III. QUANTUM COMPUTING

### A. Mathematical Representation

The quantum system uses a finite-dimensional vector to represent its state. These vectors represent the *superposition* of the physical variable. We introduce the mathematical representation, a notation called the *bra-ket* or *braket*, to represent the vector and its matrix notation. The “*ket*” is the vector that represents the quantum state, described by the notation  $|v\rangle$ , i.e.

$$|v\rangle \rightarrow \begin{bmatrix} v_0 \\ v_1 \end{bmatrix}. \quad (1)$$

We note the following regarding the notation in (1). The “*bra*” is the conjugate transpose of the “*ket*,” described by the notation  $\langle v|$ . We define the combination of these notations as the inner product known as “*braket*,”  $\langle v|w\rangle = |v\rangle \cdot |w\rangle$ .

### B. The Quantum Bit (qubit)

A qubit is the smallest unit for quantum information and the Bloch sphere can describe the qubit position. According to Lierta [71], the Bloch sphere can represent the position of the qubit, as shown in Fig. 3. The Bloch sphere allows the qubit to move using a sequence of rotations around the three principal axes (X, Y, Z) in the 3D space.

We present two states described using the *ket* vector notation  $|0\rangle$  and  $|1\rangle$ . As shown in Fig. 3, they exist on the opposite side of the sphere. The state  $|\psi\rangle$  is the *superposition* described in terms of the vectors  $|0\rangle$  and  $|1\rangle$ . We define this as  $|\psi\rangle = \alpha|0\rangle + \beta|1\rangle = \cos(\theta/2)|0\rangle + \sin(\theta/2)e^{i\varphi}|1\rangle$ . This is a unit vector from the origin to the point on the unit sphere with spherical coordinates  $(\theta, \varphi)$ .




Fig. 3. Bloch sphere [71] representation of the vector,  $\theta, \varphi$  on the sphere.

The quantum states determine the probability of measuring a 0 or a 1 when measuring the qubit. Using the *ket* notation, we write 0 and 1 as

$$|0\rangle = \begin{bmatrix} 1 \\ 0 \end{bmatrix} \text{ and } |1\rangle = \begin{bmatrix} 0 \\ 1 \end{bmatrix}. \quad (2)$$

We can also define a tensor product, denoted as  $\otimes$ , to combine the quantum states. This combination is a two-qubit system called a quantum register [72].

$$|ab\rangle = |a\rangle \otimes |b\rangle \quad (3)$$

Now that we have a two-qubit system, we can see four possibilities  $\{|00\rangle, |01\rangle, |10\rangle, |11\rangle\}$ . First, consider  $|00\rangle$ ; the first qubit is state 0, the second is also state 0. The equal value represents the correlation between the two qubits; when we measure the first state 0, the other is state 0. We can see that this applies to  $|11\rangle$ . This *correlation* allows for the first state to determine the other state [35], [36] ( $|00\rangle$  and  $|11\rangle$ ). The measurement of the first qubit provides knowledge of the second qubit because it is 100% correlated.

Further derivation defines the states of the *entangled* values as  $\frac{1}{\sqrt{2}}(|00\rangle + |11\rangle)$  and  $\frac{1}{\sqrt{2}}(|01\rangle + |10\rangle)$ . This representation is called the Bell State [47], [73]. The capability to take one measurement and obtain two bits of information is the strength of QC. The other two states  $|01\rangle$  and  $|10\rangle$  still exist; therefore, the probability of obtaining the second entangled bit is 50%. These are the terms of probability mentioned earlier.

### C. Quantum Gate

As we stated earlier, the qubits can be represented in terms of rotations around the Bloch sphere. To describe this movement, we introduce the term *quantum gate*. The quantum gate [8] is a complex square matrix which is also a unitary matrix. We express a single-qubit quantum gate  $U$  operating on the qubit  $|\psi_1\rangle$ , it produces a rotated qubit  $U|\psi_1\rangle = |\psi_2\rangle$ . The new quantum state is  $|\psi_2\rangle$ . This is the vector movement of the qubit around the sphere to the new state. We can observe the Bloch sphere representation of the gate applied to the qubit in Fig. 4.

The different unitary matrices are defined as a *Pauli Matrix* [74]. As we add additional gates, we can move the qubits around the sphere and form what is called a *quantum circuit* [75], [76]. The gates associated with different *Pauli matrices* and their roots can help us understand how to build quantum circuits. These gates are also referred to as *Pauli gates*.




Fig. 4. The application of a Hadamard matrix to a qubit is shown in terms of a Bloch sphere.

### D. Quantum Circuit

We describe a computation of *quantum gates* through a *quantum circuit*. As seen in Fig. 5, the circuit is a sequence of quantum gates and measurements. The symbols  $H$  and  $R_y$  are the representation of the quantum gates. The measurement shows that both qubits,  $q_0$  and  $q_1$ , are measured.




Fig. 5. The quantum circuit using Qiskit [77].

### E. Quantum Error Correction

Quantum errors arise mainly because of uncertainties in coherence and noise [78]. Quantum error correction is based on a combination of quantum mechanics theory and error-correcting codes. As in the case of classical computing and communications error correction, redundancy [79] is often part of the error correction algorithm strategy.

Two types of errors can be described for qubits, namely phase errors and bit errors. Bit errors are similar to the classical definition, i.e., when the expected bit is not received correctly. Phase errors occur when the qubit state picks up a phase factor. These errors are significant because the state is no longer the same, and the angle  $\varphi$  (Fig. 3) can take on any value. Active research is devoted to increasing the probability of obtaining

the correct bits using detection and estimation methods for correction [80]. We note that several studies have addressed quantum error correction [78]–[85] and parity checks [86], [87].

#### IV. QUANTUM INFORMATION PROCESSING

The field of quantum information processing addresses information and computation aspects of quantum computing based on the laws of quantum mechanics. Research on applications of QIP includes Quantum Machine Learning (QML) [15]–[19], Quantum Neural Networks (QNNs) [18], [88]–[97], Quantum Signal Processing (QSP) [9], [14], [98], Quantum Cryptography (QCrypto) [28], [81], [99]–[103], Big Data Processing [63], Flexible Representation of Quantum Audio (FRQA) [104], [105] and Error Correction [78]–[85]. In the sections that follow, we discuss some of these applications and provide references.

##### A. Quantum Algorithms

The term quantum algorithms are used here to describe a collection of algorithms and their QC implementations. These algorithms are to solve unsolvable problems using classical algorithms. The quantum algorithms [106] improve efficiency on NP-hard problems, optimizing search algorithms and a more efficient transform. It has been demonstrated [107]–[109] that quantum benefits from various levels of computational speed improvement relative to equivalent classical algorithms [110], [111]. We describe next some of these algorithms and their potential for speed improvement.

Starting with a quantum oracle, we note that a significant speed-up of the oracle calls for a system. For example, a domain with a size  $N$ ; a classical system will use  $N$  calls to describe all  $N$  bits. On the other hand, a quantum computer may perform with high probability using only  $\frac{N}{2} + \sqrt{N}$  calls.

Quantum Fourier Transforms (QFT) is the linear transformation of qubits and its realization is based on a quantum circuit. QFT is used for factoring and computing the discrete logarithm. Additionally, QFT can be used to determine quantum phase estimation by determining the eigenvalue of qubits that were rotated using the previously mentioned Pauli matrices unitary operators [112]–[115].

Amplitude Amplification (AA) [116]–[119] is generally based on Grover’s search algorithm [120] and was brought to the front by Brassard and Hoyer [121]. AA gave rise to several quantum algorithms and was shown to have quadratic speed benefits over classical algorithms.

Quantum Walk (QW) [122]–[124] is the counterpart of the classical random walk. Quantum walk has shown exponential or polynomial speed-up over classical algorithms [125]. Quantum walk can be used to analyze complex networks and may be used to solve problems in cryptography.

##### B. Quantum Systems

Earlier, we used the phrase *quantum system*. Here we define a quantum system as the environment where a quantum algorithm (for QIP) can be developed and tested. There are several descriptions of quantum computing systems [126]; however, we note here, specifically environments useful to

quantum algorithm developers. Access to actual quantum computers with modest capabilities is available on a limited basis to academia [127] on a small or no-cost basis. High-resolution Qubit machines, though they are quite expensive to access at this time.

Regarding implementation, we note that quantum algorithms can also run on quantum annealing systems [128], [129]. These systems are essential for solving optimization problems, as they provide a more significant number of qubits than current NISQ-era systems. Similar to NISQ-era computers, these systems also require some cost to access.

Quantum simulators [130] can simulate a QC but on classical computing systems. For quantum algorithm research and development, the use of quantum simulators can provide insight into specific quantum implementations. Simulators enable algorithm developers to perform validation on their local machines.

#### V. QUANTUM COMMUNICATIONS

We begin our discussion in communication by starting with Quantum Signal Processing (QSP) [14]. We present and cite some of the solutions in frame theory, quantization, and wireless communication systems. We also find current research for sampling methods to detect parameter estimation and covariance shaping [105]. When considering a QSP system, we also study the phase state as an essential means to carry the information for this system [131]. There is also a body of work in radio communication [132] and we note that these types of systems can also leverage quantum technology by using Rydberg atoms [133]–[135] for higher sensitivity [136]. In addition, phase estimation processes [131] are helpful in retrieving information at the quantum level. In terms of quantum communications [50] and networking, we note again security and cryptography [100] and quantum key distribution [57], [137].

#### VI. QUANTUM MACHINE LEARNING

As mentioned before, we focus on QML systems and begin with a brief introduction along with a simple implementation of a hybrid quantum-classical QML system.

##### A. Brief Introduction

As with traditional machine learning [138]–[140], QML algorithms studies cover supervised and unsupervised methods for classification and clustering [141]–[143]. Unsupervised QML has the potential for improved speed by performing tasks simultaneously and leveraging quantum superposition. The distances to all the centroids can then be computed simultaneously.

Some core QML algorithms appeared in the literature as follows: k-nearest neighbor [142], [144], k-means clustering [143], and decision tree [59]. To explore the speed improvement of one of the algorithms, we start with the standard method for solving k-means [145] (Lloyd’s algorithm). The classical estimation of the distance to the centroids in the  $N$ -dimensional space takes  $\mathcal{O}(N)$  cycles. We also know that each step of the classical algorithm takes time  $\mathcal{O}(M^2N)$ . However, when we examine the quantum

implementation of Lloyd's algorithm, we find that this takes  $O(M \log(MN))$  [142].

### B. QML Example

We present below a method to build a quantum machine learning algorithm. We use Qiskit [77] as the quantum programming toolkit. We design our system using four steps described by Schuld [75], namely: State Preparation, Model Circuit, Measurement, and Post Processing.

The State Preparation step (Fig. 6) is used to apply various strategies to encode the input vectors into n-qubits. We follow the procedure in [75], where we use amplitude encoding on the input vector. The input map into higher dimensional space can apply a feature map by preparing copies of  $d$  to the state. The amplitude encoding with  $N = 2$  and  $d = 2$  without any preprocessing can be mapped with the feature vector  $(x_1, x_2)^T$ , where  $N$  is used to describe a binary classification task on an N-dimensional real input.




Fig. 6. Circuit-centric quantum classifier with four steps [75].

The Model Circuit step in Fig. 6 maps the vector to another vector  $\phi' = U_\theta \phi(x)$  by a unitary operation  $U_\theta$ . In this stage, the unitary  $U$  is decomposed into  $U = U_L \dots U_g \dots U_1$ , where each  $U_g$  is a single or two-qubit quantum gate. The research in [75] further restricts and simplifies the gate by the "elementary parametrized gate set." We further create a new qubit gate  $G$  as a  $2 \times 2$  unitary gate. This advantage is to using angles instead of parameterization with the Pauli matrix.

The measurement and post-processing steps shown in Fig. 6. allow us to determine the classification of the input data.




Fig. 7. Iris data set looking at only two classifier data (versicolor, virginica). Using the first two features for classification.

Taking an Iris dataset, we prepare the dataset. We begin by normalizing the data set and apply some padding. This

transforms the data into feature vectors (Fig. 7). The feature vectors help with the state preparation of the data set. The quantum circuit used for this system is a 2-qubit system for only two feature sets. This allows for the quantum simulation to run in a more reasonable time.

Running the hybrid quantum-classical model on a quantum simulator, we see the following classification results.




Fig. 8. Decision region plot generated from Qiskit Training and validation used to classify a simplified Iris dataset, using only two classes (versicolor, virginica).

The quantum circuit (software based on [146]) uses the qubits and attempts to run through the Hadamard gate. The dataset currently used is a modified Iris (class 1 & class 2) dataset. This allows for a reasonable simulation and computation time on a classical computer. We run the gradient descent algorithm to determine the weights needed for NN training. We then start with evaluating the cost of the parameter configuration  $\theta$  and the bias  $b$ , for the least-squares minimization process. Begin with a training set  $D = \{(x^1, y^1), \dots, (x^M, y^M)\}$ . We can look at the cost as

$$C(\theta, b, D) = \frac{1}{2} \sum_{m=1}^M |\pi(x^m; \theta, b) - y^m|^2 \quad (5)$$

where  $\pi$  in the model,  $\pi(x; \theta, b) = p(q_0 = 1, x, \theta) + b$ , is the continuous output. We then define

$$(q_0 = 1, x, \theta) = \sum_{k=2^n-1+1}^{2^n} |(U_\theta \phi(x))_k|^2 \quad (6)$$

whereafter the execution of the quantum circuit  $U_\theta \phi(x)$ , we have the probability of "state 1".

### C. Example Result

We run through gradient descent updates with step size  $\mu$ . We demonstrate the detection results in Fig. 8, which shows that the hybrid quantum-classical can run with quantum simulators on a classical computer. The results of this QNN model used a smaller feature set but demonstrated the implementation/simulation approach for a classification problem.

### D. Additional Examples

In [147], we presented preliminary work with QNN parameter estimation. Due to limited access to an actual quantum

computer, we developed and ran the algorithm on a quantum simulator. The design was tested with actual data and validated using different number of qubits (2, 3, 4) and different epoch (5, 10, 100) lengths. At this time, the accuracy of the QNN is 93%, with the confusion matrix shown in Fig. 9.

### VII. FURHER READING

The following table has a collection of citations for different methods and applications for further reading.

TABLE I. ADDITIONAL REFERENCES FOR QUANTUM SYSTEMS

Description	Reference
Quantum Mechanics	[38]–[45]
Quantum Circuit Development	[75], [76]
Quantum Computing	[1], [2], [148], [3]–[10]
NISQ/Quantum Processors	[6], [66], [67], [149]
Quantum Information Processing	[150]–[155]
Quantum Signal Processing	[9], [14], [98]
Quantum Audio and Language Processing	[104], [105], [156]–[160]
Quantum Cryptography/Encryption	[28], [81], [99], [102], [103], [161]
Quantum Machine Learning	[15]–[21], [51], [162]
Quantum Neural Networks	[18], [88], [163], [164], [89]–[94], [96], [97]
Quantum Big Data/Finance	[22]–[26]
Quantum Communication, Network and Internet	[17], [27], [50], [165]–[171]
Quantum Estimation, Detection, and Control	[117], [172]–[175]
Quantum Error Control	[82]–[85], [176]
Quantum Radar	[177], [178]
Quantum Solar Energy Applications	[147], [179]
Quantum Sensor Networks	[55], [180]–[182]
Quantum Chemistry & Biology	[183], [184]
Quantum Principal Components and Eigenanalysis	[56], [185]
Quantum Imaging	[186]–[189]
Quantum Parity Check Codes	[86], [87]
Quantum Medical Applications	[190], [191]
Quantum Information Theory	[192], [193]
Quantum Information Hardware	[194]–[196]
Denosing & Decoherence	[45], [81], [98], [197]
SDK OpenQasm	[198]
SDK Microsoft's Q#	[199], [200]
SDK IBM's Qiskit	[73], [77], [200]–[204]
SDK Google's Cirq	[205]
Amazon's Braket	[206]
Quantum scalability	[207], [208]




Fig. 9. Confusion matrix of the hybrid QNN [147].

### VIII. CONCLUSION

This survey provided a brief introduction to quantum information processing technologies, emphasizing quantum machine learning implementations. The paper started with an introduction to the basics of quantum systems. It then continued with descriptions of qubit representations along with the relevant mathematics. Certain aspects of algorithm implementation of quantum computers were presented. Machine learning simulations were presented along with citations of work published by several industry government and academic research laboratories. In that context, we examined and provided a simple example of using a quantum circuit for an ML classification problem.

Regardless of the enormous opportunities in this area, open problems remain. The sensitivity of computation to quantum-related error is a major challenge. In addition, there are tradeoffs between qubit precision and quantum noise that need to be addressed and experts call for building systems with qubit “redundancy” – often 10s or 100s of thousands of qubits which are highly complex to design and control.

### REFERENCES

- [1] E. DeBenedictis, “A Future with Quantum Machine Learning,” *Computer (Long Beach, Calif)*, vol. 51, no. 2, pp. 68–71, 2018.
- [2] S. Resch and U. R. Karpuzcu, “Quantum computing: An overview across the system stack,” *arXiv*, 2019.
- [3] N. S. Yanofsky and M. A. Mannucci, *Quantum computing for computer scientists*, vol. 9780521879. 2008.
- [4] J. D. Hiday, *Quantum Computing: An Applied Approach*. Springer, 2019.
- [5] E. Rieffel and W. Polak, *An introduction to quantum computing for non-physicists*, vol. 32, no. 3. 2000.
- [6] J. Preskill, “Quantum computing in the NISQ era and beyond,” 2018..
- [7] C. H. Bennett, E. Bernstein, G. Brassard, and U. Vazirani, “Strengths and weaknesses of quantum computing,” *SIAM J. Comput.*, vol. 26, no. 5, pp. 1510–1523, 1997.
- [8] D. Ferry, “Quantum computing and probability,” *Journal of Physics: Condensed Matter* vol. 21, no. 47, p. 474201, 2009.
- [9] A. Klappenecker and M. Roetteler, “On the Irresistible Efficiency of Signal Processing Methods in Quantum Computing,” no. February, 2001.
- [10] Y. Alexeev, D. Bacon, K. R. Brown, R. Calderbank, L. D. Carr, F. T. Chong, B. DeMarco, D. Englund, E. Farhi, B. Fefferman, A. V. Gorshkov, A. Houck, J. Kim, S. Kimmel, M. Lange, S. Lloyd, M. D. Lukin, D. Maslov, P. Maunz, *et al.*, “Quantum Computer Systems for Scientific Discovery,” *PRX Quantum*, vol. 2, no. 1, pp. 1–18, 2021.
- [11] A. Drucker, “New limits to classical and quantum instance compression,” in *SIAM Journal on Computing*, Oct. 2015, vol. 44,

- no. 5, pp. 1443–1479.
- [12] D. Edwards, “US launches billion-dollar plan to establish quantum computing and artificial intelligence institutes,” *Robotics & Automation News*, Aug. 27, 2020.
- [13] F. Chapeau-Blondeau and E. Belin, “Quantum signal processing for quantum phase estimation: Fourier transform versus maximum likelihood approaches,” *Ann. des Telecommun. Telecommun.*, vol. 75, no. 11–12, pp. 641–653, Dec. 2020.
- [14] Y. C. Eldar and A. V. Oppenheim, “Quantum signal processing,” *IEEE Signal Process. Mag.*, vol. 19, no. 6, pp. 12–32, 2002.
- [15] T. M. Khan and A. Robles-Kelly, “Machine Learning: Quantum vs Classical,” *IEEE Access*, vol. 8, pp. 219275–219294, 2020.
- [16] J. Biamonte, P. Wittek, N. Pancotti, P. Rebentrost, N. Wiebe, and S. Lloyd, “Quantum machine learning,” *Nature*, vol. 549, no. 7671. Nature Publishing Group, pp. 195–202, Sep. 13, 2017.
- [17] J. Wallnöfer, A. A. Melnikov, W. Dur, and H. J. Briegel, “Machine learning for long-distance quantum communication,” *arXiv*, Apr. 2019.
- [18] S. Gupta, S. Mohanta, M. Chakraborty, and S. Ghosh, “Quantum machine learning-using quantum computation in artificial intelligence and deep neural networks: Quantum computation and machine learning in artificial intelligence,” in *2017 8th Industrial Automation and Electromechanical Engineering Conference, IEMECON 2017*, Oct. 2017, pp. 268–274.
- [19] M. Schuld, I. Sinayskiy, and F. Petruccione, “An introduction to quantum machine learning,” *Contemp. Phys.*, vol. 56, no. 2, pp. 172–185, Apr. 2015.
- [20] V. Dunjko and H. J. Briegel, “Machine learning & artificial intelligence in the quantum domain: A review of recent progress,” *Reports Prog. Phys.*, vol. 81, no. 7, p. 074001, Sep. 2018.
- [21] J. S. Otterbach, R. Manenti, N. Alidoust, A. Bestwick, M. Block, B. Bloom, S. Caldwell, N. Didier, E. Schuyler Fried, S. Hong, P. Karalekas, C. B. Osborn, A. Papageorge, E. C. Peterson, G. Prawiroatmodjo, N. Rubin, C. A. Ryan, D. Scarabelli, M. Scheer, *et al.*, “Unsupervised machine learning on a hybrid quantum computer,” *arXiv*, 2017.
- [22] S. P. Jordan, “Fast quantum algorithms for approximating some irreducible representations of groups,” *arXiv*, Nov. 2008.
- [23] B. E. Baaquie, *Quantum finance: path integrals and Hamiltonians for options and interest rates*. 2004.
- [24] P. Rebentrost, M. Mohseni, and S. Lloyd, “Quantum support vector machine for big data classification,” *Phys. Rev. Lett.*, vol. 113, no. 3, p. 130503, Sep. 2014.
- [25] R. Ramakrishnan, P. O. Dral, M. Rupp, and O. A. Von Lilienfeld, “Big data meets quantum chemistry approximations: The  $\Delta$ -machine learning approach,” *J. Chem. Theory Comput.*, vol. 11, no. 5, pp. 2087–2096, May 2015.
- [26] M. Schaden, “Quantum finance,” *Phys. A Stat. Mech. its Appl.*, vol. 316, no. 1–4, pp. 511–538, 2002.
- [27] G. Brassard, “Quantum communication complexity,” *Found. Phys.*, vol. 33, no. 11, pp. 1593–1616, 2003.
- [28] V. Scarani, A. Acin, G. Ribordy, and N. Gisin, “Quantum cryptography protocols robust against photon number splitting attacks for weak laser pulses implementations,” *Phys. Rev. Lett.*, vol. 92, p. 057901, 2004.
- [29] Z. Pan, K. P. Seshadreesan, W. Clark, M. R. Adcock, I. B. Djordjevic, J. H. Shapiro, and S. Guha, *Secret-Key Distillation across a Quantum Wiretap Channel under Restricted Eavesdropping*, vol. 14, no. 2. American Physical Society, 2020, p. 024044.
- [30] L. Gasparini, B. Bessire, M. Unternährer, A. Stefanov, D. Boiko, M. Perenzoni, and D. Stoppa, “SUPERTWIN: towards 100kpixel CMOS quantum image sensors for quantum optics applications,” in *Quantum Sensing and Nano Electronics and Photonics XIV*, Jan. 2017, vol. 10111, p. 101112L.
- [31] Y. Xia, W. Li, W. Clark, D. Hart, Q. Zhuang, and Z. Zhang, “Demonstration of a Reconfigurable Entangled Radio-Frequency Photonic Sensor Network,” *Phys. Rev. Lett.*, vol. 124, no. 15, p. 150502, Apr. 2020.
- [32] P. S. Emani, J. Warrell, A. Anticevic, S. Bekiranov, M. Gandal, M. J. McConnell, G. Sapiro, A. Aspuru-Guzik, J. T. Baker, M. Bastiani, J. D. Murray, S. N. Sotiropoulos, J. Taylor, G. Senthil, T. Lehner, M. B. Gerstein, and A. W. Harrow, “Quantum computing at the frontiers of biological sciences,” *Nature Methods*. Nature Research, pp. 1–9, Jan. 04, 2021.
- [33] C. Cheng, R. Lu, A. Petzoldt, and T. Takagi, “Securing the Internet of Things in a Quantum World,” *IEEE Commun. Mag.*, vol. 55, no. 2, pp. 116–120, Feb. 2017.
- [34] A. Montanaro, “Quantum Pattern Matching Fast on Average,” *Algorithmica*, vol. 77, no. 1, pp. 16–39, 2017.
- [35] I. Krichever, O. Lipan, P. Wiegmann, and A. Zabrodin, “Quantum Integrable Systems and Elliptic Solutions of Classical Discrete Nonlinear Equations,” Springer, Boston, MA, 1997, pp. 279–317.
- [36] A. Gilyén, S. Lloyd, and E. Tang, “Quantum-inspired low-rank stochastic regression with logarithmic dependence on the dimension,” *arXiv*, Nov. 2018.
- [37] N.-H. Chia, H.-H. Lin, and C. Wang, “Quantum-inspired sublinear classical algorithms for solving low-rank linear systems,” *arXiv*, Nov. 2018.
- [38] T. Jurić, “Observables in Quantum Mechanics and the importance of self-adjointness,” *arXiv*, pp. 1–26, 2021.
- [39] D. A. Edwards, “The Mathematical Foundations of Quantum Mechanics,” *Synthese*, vol. 42, no. 1, pp. 1–70, 1979.
- [40] R. Blumel, *Foundations of Quantum Mechanics: From Photons to Quantum Computers*, vol. 47, no. 09. 2010..
- [41] L. Van Dommelen, “Fundamental Quantum Mechanics for Engineers,” p. 1576, 2013.
- [42] D. A. B. Miller, “Quantum Mechanics for Scientists and Engineers,” in *Quantum Mechanics for Scientists and Engineers*, Cambridge University Press, 2012, pp. xxi–xxii.
- [43] K. Sinha, S. Y. Lin, and B. L. Hu, “Mirror-field entanglement in a microscopic model for quantum optomechanics,” *Phys. Rev. A - At. Mol. Opt. Phys.*, vol. 92, no. 2, 2015.
- [44] L. Huang, Y. C. Lai, D. K. Ferry, S. M. Goodnick, and R. Akis, “Relativistic Quantum Scars,” *Phys. Rev. Lett.*, vol. 103, no. 5, pp. 1–4, 2009.
- [45] D. Bondarenko and P. Feldmann, “Quantum Autoencoders to Denoise Quantum Data,” *Phys. Rev. Lett.*, vol. 124, no. 13, 2020.
- [46] “Home Page - Sensor, Signal & Information Processing (SenSIP).” <https://sensip.engineering.asu.edu/> (accessed May 16, 2021).
- [47] G. Jaeger, “Quantum information,” in *Quantum Information*, New York, NY: Springer New York, 2007, pp. 81–89.
- [48] I. Djordjevic, *Quantum Information Processing and Quantum Error Correction - An Engineering Approach*. 2012.
- [49] G. Birkoff and J. Von Neumann, “Logic of Quantum Mechanics,” *Ann. Math.*, pp. 823–843, 1936.
- [50] A. A. Zhukov, E. O. Kiktenko, A. A. Elistratov, W. V. Pogosov, and Y. E. Lozovik, “Quantum communication protocols as a benchmark for programmable quantum computers,” *Quantum Inf. Process.*, vol. 18, no. 1, 2019.
- [51] B. Yurke and J. S. Denker, “Quantum network theory,” *Phys. Rev. A*, vol. 29, no. 3, pp. 1419–1437, Mar. 1984.
- [52] C. Elliott, “Building the quantum network,” *New J. Phys.*, vol. 4, no. 1, p. 46, Jul. 2002.
- [53] S. Hao, H. Shi, W. Li, J. H. Shapiro, Q. Zhuang, and Z. Zhang, “Entanglement-Assisted Communication Surpassing the Ultimate Classical Capacity,” *Phys. Rev. Lett.*, vol. 126, no. 25, p. 250501, Jun. 2021.
- [54] H. Shi, Z. Zhang, and Q. Zhuang, “Practical Route to Entanglement-Assisted Communication over Noisy Bosonic Channels,” *Phys. Rev. Appl.*, vol. 13, no. 3, p. 34029, Feb. 2020.
- [55] Z. Zhang and Q. Zhuang, “Distributed quantum sensing,” *Quantum Sci. Technol.*, Dec. 2020.
- [56] E. Tang, “Quantum-inspired classical algorithms for principal component analysis and supervised clustering,” *arXiv*, Oct. 2018.
- [57] V. Scarani, H. Bechmann-Pasquinucci, N. J. Cerf, M. Dušek, N. Lütkenhaus, and M. Peev, “The security of practical quantum key distribution,” *Rev. Mod. Phys.*, vol. 81, no. 3, pp. 1301–1350, 2009.
- [58] S. Oh and J. Kim, “Entanglement between qubits induced by a common environment with a gap,” *Phys. Rev. A - At. Mol. Opt. Phys.*, vol. 73, no. 6, p. 062306, Jun. 2006.
- [59] S. Lu and S. L. Braunstein, “Quantum decision tree classifier,” *Quantum Inf. Process.*, vol. 13, no. 3, pp. 757–770, Mar. 2014.
- [60] A. A. A. El-Latif, B. Abd-El-Atty, W. Mazurczyk, C. Fung, and S.

- E. Venegas-Andraca, "Secure Data Encryption Based on Quantum Walks for 5G Internet of Things Scenario," *IEEE Trans. Netw. Serv. Manag.*, vol. 17, no. 1, pp. 118–131, Mar. 2020.
- [61] H. Abraham, I. Y. Akhalwaya, G. Aleksandrowicz, T. Alexander, G. Alexandrowics, E. Arbel, A. Asfaw, C. Azaustre, P. Barkoutsos, and G. Barron, "Qiskit: An Open-source Framework for Quantum Computing."
- [62] A. Spanias, *DSP - An Interactive Approach Second Edition*. Lulu Press, Morrisville, NC, 2014.
- [63] T. A. Shaikh and R. Ali, "Quantum computing in big data analytics: A survey," in *Proceedings - 2016 16th IEEE International Conference on Computer and Information Technology, CIT 2016, 2016 6th International Symposium on Cloud and Service Computing, IEEE SC2 2016 and 2016 International Symposium on Security and Privacy in Social Netwo*, 2017, pp. 112–115.
- [64] M. Steffen, "Early applications of quantum computers," May 2018, pp. 66–66.
- [65] A. D. Corcoles, A. Kandala, A. Javadi-Abhari, D. T. McClure, A. W. Cross, K. Temme, P. D. Nation, M. Steffen, and J. M. Gambetta, "Challenges and Opportunities of Near-Term Quantum Computing Systems," *Proc. IEEE*, vol. 108, no. 8, pp. 1338–1352, Oct. 2020.
- [66] K. Bharti, A. Cervera-Lierta, T. H. Kyaw, T. Haug, S. Alperin-Lea, A. Anand, M. Degroote, H. Heimonen, J. S. Kottmann, T. Menke, W.-K. Mok, S. Sim, L.-C. Kwek, and A. Aspuru-Guzik, "Noisy intermediate-scale quantum (NISQ) algorithms," *arXiv*, pp. 1–82, 2021.
- [67] F. Leymann and J. Barzen, "The bitter truth about quantum algorithms in the NISQ era," *arXiv*, 2020.
- [68] "Quantum | Honeywell." [https://www.honeywell.com/us/en/company/quantum?utm\\_source=cj&utm\\_medium=affiliate&utm\\_campaign=Bing+Rebates+by+Microsoft&clickid=14494849&cjevent=66b4104cb60111eb818f00ca0a1c0e0e&cjdata=MXxOfDB8WXww](https://www.honeywell.com/us/en/company/quantum?utm_source=cj&utm_medium=affiliate&utm_campaign=Bing+Rebates+by+Microsoft&clickid=14494849&cjevent=66b4104cb60111eb818f00ca0a1c0e0e&cjdata=MXxOfDB8WXww) (accessed May 15, 2021).
- [69] "IonQ | Trapped Ion Quantum Computing." <https://ionq.com/> (accessed Apr. 18, 2021).
- [70] "Welcome to Xanadu." <https://www.xanadu.ai/> (accessed Apr. 18, 2021).
- [71] A. C. Lieria and E. Demarie, Tommaso Munro, "Quantum Computation: a journey on the Bloch sphere," *Quantum World Association*, 2018.
- [72] D. Schrader, I. Dotsenko, M. Khudaverdyan, Y. Miroshnychenko, A. Rauschenbeutel, and D. Meschede, "Neutral atom quantum register," *Phys. Rev. Lett.*, vol. 93, no. 15, pp. 1–4, 2004.
- [73] S. Bhattacharyya, "Quantum Computing: Bell State and Entanglement with Qiskit," *Medium*, 2020. <https://medium.com/a-bit-of-qubit/quantum-computing-bell-state-and-entanglement-with-qiskit-621489fb36bd> (accessed May 15, 2021).
- [74] M. Soeken, D. M. Miller, and R. Drechsler, "Quantum circuits employing roots of the Pauli matrices," *Phys. Rev. A - At. Mol. Opt. Phys.*, vol. 88, no. 4, 2013.
- [75] M. Schuld, A. Bocharov, K. Svore, and N. Wiebe, "Circuit-centric quantum classifiers," *Phys. Rev. A*, vol. 101, no. 3, Apr. 2018.
- [76] K. Mitarai, M. Negoro, M. Kitagawa, and K. Fujii, "Quantum circuit learning," *Phys. Rev. A*, vol. 98, no. 3, pp. 1–3, 2018.
- [77] G. Jaeger, "Qiskit." <https://qiskit.org/>
- [78] A. M. Steane, "A tutorial on quantum error correction," in *Proceedings of the International School of Physics "Enrico Fermi,"* 2006, vol. 162, pp. 1–32.
- [79] C. H. Bennett, "Quantum Information: Qubits and Quantum Error Correction," in *International Journal of Theoretical Physics*, Feb. 2003, vol. 42, no. 2, pp. 153–176.
- [80] R. Vathsan, *Quantum Error Correction*. Cambridge university press, 2020.
- [81] C. Arenz, R. Hillier, M. Fraas, and D. Burgarth, "Distinguishing decoherence from alternative quantum theories by dynamical decoupling," *Phys. Rev. A - At. Mol. Opt. Phys.*, vol. 92, no. 2, 2015.
- [82] K. Rudinger, T. Proctor, D. Langharst, M. Sarovar, K. Young, and R. Blume-Kohout, "Probing Context-Dependent Errors in Quantum Processors," *Phys. Rev. X*, vol. 9, no. 2, p. 21045, 2019.
- [83] T. Brun, I. Devetak, and M. H. Hsieh, "Correcting quantum errors with entanglement," *Science (80-. )*, vol. 314, no. 5798, pp. 436–439, Oct. 2006.
- [84] J. R. McClean, Z. Jiang, N. C. Rubin, R. Babbush, and H. Neven, "Decoding quantum errors with subspace expansions," *Nat. Commun.*, vol. 11, no. 1, pp. 1–9, Dec. 2020.
- [85] J. Chiaverini, D. Leibfried, T. Schaetz, M. D. Barrett, R. B. Blakestad, J. Britton, W. M. Itano, J. D. Jost, E. Knill, C. Langer, R. Ozeri, and D. J. Wineland, "Realization of quantum error correction," *Nature*, vol. 432, no. 7017, pp. 602–605, 2004.
- [86] J. ROFFE, "The Coherent Parity Check Framework for Quantum Error Correction," Durham University, 2019.
- [87] J. Roffe, D. Headley, N. Chancellor, D. Horsman, and V. Kendon, "Protecting quantum memories using coherent parity check codes," *Quantum Sci. Technol.*, vol. 3, no. 3, p. 35010, Jun. 2018.
- [88] S. Zhao, G. Xu, T. Tao, and L. Liang, "Real-coded chaotic quantum-inspired genetic algorithm for training of fuzzy neural networks," *Comput. Math. with Appl.*, vol. 57, no. 11–12, pp. 2009–2015, Jun. 2009.
- [89] S. H. Adachi and M. P. Henderson, "Application of Quantum Annealing to Training of Deep Neural Networks," *arXiv*, Oct. 2015.
- [90] K. Takahashi, M. Kurokawa, and M. Hashimoto, "Multi-layer quantum neural network controller trained by real-coded genetic algorithm," *Neurocomputing*, vol. 134, pp. 159–164, Jun. 2014.
- [91] M. Schuld, I. Sinayskiy, and F. Petruccione, "The quest for a Quantum Neural Network," *Quantum Information Processing*, vol. 13, no. 11. Springer New York LLC, pp. 2567–2586, Oct. 21, 2014.
- [92] O. P. Patel and A. Tiwari, "Quantum inspired binary neural network algorithm," *Proc. - 2014 13th Int. Conf. Inf. Technol. ICIT 2014*, no. 3, pp. 270–274, 2014.
- [93] J. Liu, K. H. Lim, K. L. Wood, W. Huang, C. Guo, and H.-L. Huang, "Hybrid Quantum-Classical Convolutional Neural Networks," *arXiv*, 2019.
- [94] X. Hong and C. Maojun, "Hybrid quantum neural networks model algorithm and simulation," *5th Int. Conf. Nat. Comput. ICNC 2009*, vol. 1, no. 1, pp. 164–168, 2009.
- [95] A. A. Ezhov and D. Ventura, "Quantum Neural Networks," in *In: Kasabov N. (eds) Future Directions for Intelligent Systems and Information Sciences. Studies in Fuzziness and Soft Computing, vol 45*, Physica, Heidelberg, 2000, pp. 213–235.
- [96] V. I. Dorozhinsky, O. V. Pavlovsky, O. V. Pavlovsky, and O. V. Pavlovsky, "Artificial Quantum Neural Network: Quantum neurons, logical elements and tests of convolutional nets.," *arXiv*. arXiv, Jun. 25, 2018.
- [97] I. Cong, S. Choi, and M. D. Lukin, "Quantum convolutional neural networks," *Nat. Phys.*, vol. 15, no. 12, pp. 1273–1278, Dec. 2019.
- [98] R. Smith, A. Basarab, B. Georgeot, and D. Kouamé, "Adaptive transform via quantum signal processing: Application to signal and image denoising," *arXiv*, pp. 1523–1527, 2018.
- [99] J. D. Franson and B. C. Jacobs, "Quantum cryptography," in *Advanced Sciences and Technologies for Security Applications*, vol. 1, 2005, pp. 1–15.
- [100] N. G. H. de R. D Collins, "Quantum relays for long distance quantum cryptography," *J. Mod. Opt.*, vol. 52, pp. 735–753, 2005.
- [101] A. Cohen, R. G. L. D'Oliveira, S. Salamatian, and M. Medard, "Network Coding-Based Post-Quantum Cryptography," *IEEE Journal on Selected Areas in Information Theory*, vol. 2, no. 1. arXiv, pp. 49–64, Sep. 03, 2021.
- [102] N. Gisin, G. Ribordy, W. Tittel, and H. Zbinden, "Quantum cryptography," *Rev. Mod. Phys.*, vol. 74, no. 1, pp. 145–195, Mar. 2002.
- [103] S. Pirandola, U. L. Andersen, L. Banchi, M. Berta, D. Bunandar, R. Colbeck, D. Englund, T. Gehring, C. Lupo, C. Ottaviani, J. Pereira, M. Razavi, J. S. Shaari, M. Tomamichel, V. C. Usenko, G. Vallone, P. Villoresi, and P. Wallden, "Advances in quantum cryptography," *arXiv*, vol. 12, no. 4. arXiv, pp. 1012–1236, Jun. 04, 2019.
- [104] F. Yan, A. M. Iliyasa, Y. Guo, and H. Yang, "Flexible representation and manipulation of audio signals on quantum computers," *Theor. Comput. Sci.*, vol. 752, pp. 71–85, Dec. 2018.
- [105] S. M. Zhao and B. Y. Zheng, "Quantum covariance shaping least squares estimator in multiuser detection and MIMO systems," in *2007 International Symposium on Intelligent Signal Processing and Communications Systems, ISPACS 2007 - Proceedings*, 2007, pp. 574–577.

- [106] A. J., A. Adedoyin, J. Ambrosiano, P. Anisimov, A. Bärttschi, W. Casper, G. Chennupati, C. Coffrin, H. Djidjev, D. Gunter, S. Karra, N. Lemons, S. Lin, A. Malychenkov, D. Mascarenas, S. Mniszewski, B. Nadiga, D. O'Malley, D. Oyen, *et al.*, "Quantum Algorithm Implementations for Beginners," *arXiv*, Apr. 2018.
- [107] M. Mohseni, P. Read, H. Neven, S. Boixo, V. Denchev, R. Babbush, A. Fowler, V. Smelyanskiy, and J. Martinis, "Commercialize quantum technologies in five years," *Nature*, vol. 543, no. 7644. Nature Publishing Group, pp. 171–174, Mar. 03, 2017.
- [108] S. Mandrá, G. G. Guerreschi, and A. Aspuru-Guzik, "Faster than classical quantum algorithm for dense formulas of exact satisfiability and occupation problems," *New J. Phys.*, vol. 18, no. 7, p. 073003, Jul. 2016.
- [109] E. Crosson and A. W. Harrow, "Simulated Quantum Annealing Can Be Exponentially Faster Than Classical Simulated Annealing," in *Proceedings - Annual IEEE Symposium on Foundations of Computer Science, FOCS*, Dec. 2016, vol. 2016-December, pp. 714–723.
- [110] R. Demkowicz-Dobrzański and M. Markiewicz, "Quantum computation speedup limits from quantum metrological precision bounds," *Phys. Rev. A - At. Mol. Opt. Phys.*, vol. 91, no. 6, p. 062322, Jun. 2015.
- [111] G. Castagnoli and D. R. Finkelstein, "Theory of the quantum speedup," *Proc. R. Soc. A Math. Phys. Eng. Sci.*, vol. 457, no. 2012, pp. 1799–1806, Aug. 2001.
- [112] Y. S. Weinstein, M. A. Pravia, E. M. Fortunato, S. Lloyd, and D. G. Cory, "Implementation of the quantum Fourier transform," *Phys. Rev. Lett.*, vol. 86, no. 9, pp. 1889–1891, 2001.
- [113] S. S. Zhou, T. Loke, J. A. Izaac, and J. B. Wang, "Quantum Fourier transform in computational basis," *Quantum Inf. Process.*, vol. 16, no. 3, 2017.
- [114] L. Ruiz-Perez and J. C. Garcia-Escartin, "Quantum arithmetic with the quantum Fourier transform," *Quantum Inf. Process.*, vol. 16, no. 6, 2017.
- [115] M. Mosca and C. ZALKA, "Exact quantum Fourier transforms and discrete logarithm algorithms," *Int. J. Quantum Inf.*, vol. 02, no. 01, pp. 91–100, Jan. 2004.
- [116] A. Ambainis, "Quantum search algorithms," *ACM SIGACT News*, vol. 35, no. 2, pp. 22–35, 2004.
- [117] G. Brassard, P. Høyer, M. Mosca, and A. Tapp, "Quantum amplitude amplification and estimation," *Contemp. Math.*, vol. 305, pp. 53–74, 2002.
- [118] M. Mosca, "Quantum Searching, Counting and Amplitude Amplification by Eigenvector Analysis," *MFCS'98 Work. Randomized Algorithms*, no. 1, pp. 90–100, 1998.
- [119] G. Brassard, P. Høyer, and A. Tapp, "Quantum counting," in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 1998, vol. 1443 LNCS, pp. 820–831.
- [120] P. R. Giri and V. E. Korepin, "A review on quantum search algorithms," *Quantum Information Processing*, vol. 16, no. 12. Springer New York LLC, Dec. 01, 2017.
- [121] G. Brassard and P. Hoyer, "Exact quantum polynomial-time algorithm for Simon's problem," in *Proceedings of the Israel Symposium on Theory of Computing and Systems, ISTCS*, 1997, pp. 12–23.
- [122] A. Chefles, "Quantum state discrimination," *Contemp. Phys.*, vol. 41, no. 6, pp. 401–424, 2000.
- [123] A. M. Childs, R. Cleve, E. Deotto, E. Farhi, S. Gutmann, and D. A. Spielman, "Exponential algorithmic speedup by a quantum walk," 2003.
- [124] A. M. Childs, "On the relationship between continuous- and discrete-time quantum walk," *Commun. Math. Phys.*, vol. 294, no. 2, pp. 581–603, 2010.
- [125] S. E. Venegas-Andraca, "Quantum walks: a comprehensive review," *Quantum Inf. Process.*, vol. 11, no. 5, pp. 1015–1106, Jan. 2012.
- [126] L. Gyongyosi and S. Imre, "A Survey on quantum computing technology," *Computer Science Review*, vol. 31. Elsevier Ireland Ltd, pp. 51–71, Feb. 01, 2019.
- [127] S. Hassinger, "IBM Quantum offers advanced system access to academic researchers | IBM Research Blog," 2020. <https://www.ibm.com/blogs/research/2020/07/quantum-researcher-program/> (accessed May 20, 2021).
- [128] S. Boixo, T. F. Ronnow, S. V. Isakov, Z. Wang, D. Wecker, D. A. Lidar, J. M. Martinis, and M. Troyer, "Evidence for quantum annealing with more than one hundred qubits," *Nat. Phys.*, vol. 10, no. 3, pp. 218–224, 2014.
- [129] M. W. Johnson, M. Amin, T. Lanting, and A. Berkley, "Quantum annealing with manufactured spins Development cryoelectronics devices based on investigations of semiconductor and superconductor elements and materials View project Xenbase View project SEE PROFILE," *Artic. Nat.*, 2011.
- [130] I. Buluta and F. Nori, "Quantum simulators," *Science*, vol. 326, no. 5949. American Association for the Advancement of Science, pp. 108–111, Oct. 02, 2009.
- [131] Y. Dong, X. Meng, K. B. Whaley, and L. Lin, "Efficient phase factor evaluation in quantum signal processing," *arXiv*. 2020.
- [132] P. O. Okrah, "Multichannel modulation as a technique for transmission in radio channels," in *IEEE Vehicular Technology Conference*, 1993, pp. 29–33.
- [133] W. Clark and C. H. Greene, "Anisotropic interactions in autoionizing Rydberg systems," *Phys. Rev. A - At. Mol. Opt. Phys.*, vol. 56, no. 1, pp. 403–414, Jul. 1997.
- [134] W. Clark, C. H. Greene, and G. Miecznik, "Anisotropic interaction potential between a Rydberg electron and an open-shell ion," *Phys. Rev. A - At. Mol. Opt. Phys.*, vol. 53, no. 4, pp. 2248–2261, Apr. 1996.
- [135] W. Clark and C. H. Greene, "Adventures of a Rydberg electron in an anisotropic world," *Rev. Mod. Phys.*, vol. 71, no. 3, pp. 821–833, Apr. 1999.
- [136] D. H. Meyer, K. C. Cox, F. K. Fatemi, and P. D. Kunz, "Digital communication with Rydberg atoms and amplitude-modulated microwave fields," *Appl. Phys. Lett.*, vol. 112, no. 21, p. 211108, May 2018.
- [137] P. W. Shor and J. Preskill, "Simple proof of security of the BB84 quantum key distribution protocol," *Phys. Rev. Lett.*, vol. 85, no. 2, pp. 441–444, Jul. 2000.
- [138] M. Virvou, E. Alepis, G. A. Tsihrintzis, and L. C. Jain, "Machine learning paradigms: Advances in learning analytics," in *Intelligent Systems Reference Library*, vol. 158, Springer Science and Business Media Deutschland GmbH, 2020, pp. 1–5.
- [139] S. Theodoridis, *Machine Learning: A Bayesian and Optimization Perspective*, 1st Editio. Academic Press Inc., 2015.
- [140] U. S. Shanthamallu, A. Spanias, C. Tepedelenlioglu, and M. Stanley, "A brief survey of machine learning methods and their sensor and IoT applications," in *2017 8th International Conference on Information, Intelligence, Systems and Applications, IISA 2017*, Mar. 2018, pp. 1–8.
- [141] N. Wiebe, A. Kapoor, and K. M. Svore, "Quantum algorithms for nearest-neighbor methods for supervised and unsupervised learning," *Quantum Inf. Comput.*, vol. 15, no. 3–4, pp. 318–358, Mar. 2015.
- [142] S. Lloyd, M. Mohseni, and P. Rebentrost, "Quantum algorithms for supervised and unsupervised machine learning," *arXiv*, Jul. 2013.
- [143] D. Horn and A. Gottlieb, "Algorithm for Data Clustering in Pattern Recognition Problems Based on Quantum Mechanics," *Phys. Rev. Lett.*, vol. 88, no. 1, p. 4, 2002.
- [144] E. Aïmeur, G. Brassard, and S. Gambs, "Machine learning in a quantum world," in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2006, vol. 4013 LNAI, pp. 431–442.
- [145] K. Sayood, J. D. Gibson, and M. C. Rost, "An Algorithm for Uniform Vector Quantizer Design," *IEEE Transactions on Information Theory*, vol. 30, no. 6, pp. 805–814, 1984.
- [146] "A quantum classifier model." <https://github.com/siberian-pi/circuit-centric-quantum-classifiers> (accessed May 09, 2021).
- [147] G. Uehara, S. Rao, M. Dobson, C. Tepedelenlioglu, and A. Spanias, "Quantum Neural Network Parameter Estimation for PV Fault Detection." IISA 2021, Crete, July 2021, 2021.
- [148] and M. National Academies of Sciences, Engineering, *Quantum Computing Progress and Prospects*. Washington, D.C., 2019.
- [149] M. W. Johnson, M. H. S. Amin, S. Gildert, T. Lanting, F. Hamze,

- N. Dickson, R. Harris, A. J. Berkley, J. Johansson, P. Bunyk, E. M. Chapple, C. Enderud, J. P. Hilton, K. Karimi, E. Ladizinsky, N. Ladizinsky, T. Oh, I. Perminov, C. Rich, *et al.*, "Quantum annealing with manufactured spins," *Nature*, vol. 473, no. 7346, pp. 194–198, May 2011.
- [150] S. Uttam, "Introduction to Quantum Information Processing," *Quantum Inf. Process. Quantum Error Correct.*, no. September 2004, pp. 119–144, 2012.
- [151] M. A. Nielsen, I. Chuang, and L. K. Grover, "Quantum Computation and Quantum Information," *Am. J. Phys.*, vol. 70, no. 5, pp. 558–559, May 2002.
- [152] P. van L. SL Braunstein, "Quantum information with continuous variables," *Rev. Mod. Phys.*, vol. 77, pp. 513–577, 2005.
- [153] H.-K. Lo, T. Spiller, and S. Popescu, *Introduction to Quantum Computation and Information*. 1998.
- [154] K. Sato, S. Nakazawa, S. Nishida, R. D. Rahimi, T. Yoshino, Y. Morita, K. Toyota, D. Shiomi, M. Kitagawa, and T. Takui, "Novel Applications of ESR/EPR: Quantum Computing/Quantum Information Processing," Springer, 2012, pp. 163–204.
- [155] M. Vogel, *Quantum Computation and Quantum Information*, by M.A. Nielsen and I.L. Chuang, vol. 52, no. 6. 2011.
- [156] J. Cripe, N. Aggarwal, R. Lanza, A. Libson, R. Singh, P. Heu, D. Follman, G. D. Cole, N. Mavalvala, and T. Corbitt, "Measurement of quantum back action in the audio band at room temperature," *Nature*, vol. 568, no. 7752, pp. 364–367, Apr. 2019.
- [157] J. Wang, "QRDA: Quantum Representation of Digital Audio," *Int. J. Theor. Phys.*, vol. 55, no. 3, pp. 1622–1641, 2016.
- [158] F. J. Farsana and K. Gopakumar, "Speech Encryption Algorithm Based on Nonorthogonal Quantum State with Hyperchaotic Keystreams," *Adv. Math. Phys.*, vol. 2020, 2020.
- [159] F. Li, S. Zhao, and B. Zheng, "Quantum neural network in speech recognition," in *International Conference on Signal Processing Proceedings, ICSP, 2002*, vol. 2, pp. 1267–1270.
- [160] C.-H. H. Yang, J. Qi, S. Y.-C. Chen, P.-Y. Chen, S. M. Siniscalchi, X. Ma, and C.-H. Lee, "Decentralizing Feature Extraction with Quantum Convolutional Neural Network for Automatic Speech Recognition," May 2021, pp. 6523–6527.
- [161] D. Bruß and T. Meyer, "Quantum cryptography," *Lect. Notes Phys.*, vol. 808, no. 8, pp. 277–308, 2010.
- [162] Q. Zhuang and Z. Zhang, "Entanglement-Enhanced Physical-Layer Classifier Using Supervised Machine Learning," May 2019, p. FF1F.1.
- [163] V. S. Narayanaswamy, R. Ayyanar, A. Spanias, C. Tepedelenlioglu, and D. Srinivasan, "Connection topology optimization in photovoltaic arrays using neural networks," in *Proceedings - 2019 IEEE International Conference on Industrial Cyber Physical Systems, ICPS 2019*, May 2019, pp. 167–172.
- [164] M. Henderson, S. Shakya, S. Pradhan, and T. Cook, "Quantum convolutional neural networks: powering image recognition with quantum circuits," *Quantum Mach. Intell.*, vol. 2, no. 1, pp. 1–9, Jun. 2020.
- [165] W.-Y. Hwang, "Quantum key distribution with high loss: Toward global secure communication," *Phys. Rev. Lett.*, vol. 91, p. 057901, 2003.
- [166] N. Gisin and R. Thew, "Quantum communication," *Nat. Photonics*, vol. 1, no. 3, pp. 165–171, Mar. 2007.
- [167] H. Buhrman, R. Cleve, and A. Wigderson, "Quantum vs. classical communication and computation," in *Conference Proceedings of the Annual ACM Symposium on Theory of Computing*, 1998, pp. 63–68.
- [168] H. J. Kimble, "The quantum internet," *Nature*, vol. 453, no. 7198, pp. 1023–1030, Jun. 2008.
- [169] H. J. Kimble, "Quantum networks enabled by quantum optics," 2013.
- [170] J. Gallina, M. Brett, and M. Henderson, "Methods for accelerating geospatial data processing using quantum computers," in *Proceedings of the International Astronautical Congress, IAC*, Jan. 2019, vol. 2019-October, no. 1, pp. 1–9.
- [171] Q. Zhuang, "Quantum enhanced sensing and communication," Massachusetts Institute of Technology, 2018.
- [172] M. G. A. Paris, "Quantum estimation for quantum technology," in *International Journal of Quantum Information*, 2009, vol. 7, no. SUPPL., pp. 125–137.
- [173] C. W. Helstrom, "Quantum detection and estimation theory," *Journal of Statistical Physics*, vol. 1, no. 2. Kluwer Academic Publishers-Plenum Publishers, pp. 231–252, Jun. 1969.
- [174] C. L. Degen, F. Reinhard, and P. Cappellaro, "Quantum sensing," *Rev. Mod. Phys.*, vol. 89, no. 3, p. 035002, Jul. 2017.
- [175] P. Titum, K. Schultz, A. Seif, G. Quiroz, and B. D. Clader, "Optimal control for quantum detectors," *npj Quantum Inf.*, vol. 7, no. 1, pp. 1–8, Dec. 2021.
- [176] D. G. Cory, M. D. Price, W. Maas, E. Knill, R. Laflamme, W. H. Zurek, T. F. Havel, and S. S. Somaroo, "Experimental quantum error correction," *Phys. Rev. Lett.*, vol. 81, no. 10, pp. 2152–2155, Sep. 1998.
- [177] Q. Zhuang, Z. Zhang, and J. H. Shapiro, "Entanglement-enhanced Neyman–Pearson target detection using quantum illumination," *J. Opt. Soc. Am. B*, vol. 34, no. 8, p. 1567, Aug. 2017.
- [178] M. Lanzagorta, "Quantum Radar," *Synth. Lect. Quantum Comput.*, vol. 3, no. 1, pp. 1–139, Oct. 2011.
- [179] M. V. Putz, M. A. Tudoran, M. C. Mirica, M. I. Iorga, R. Bănică, Ștefan D. Novaconi, I. Balcu, Ștefania F. Rus, and A.-M. Putz, "Sustainable Design of Photovoltaics," in *Sustainable Nanosystems Development, Properties, and Applications*, IGI Global, 2016, pp. 412–489.
- [180] C. Arenz and H. Rabitz, "Controlling Qubit Networks in Polynomial Time," *Phys. Rev. Lett.*, vol. 120, no. 22, p. 220503, May 2018.
- [181] A. Drucker, "Control of open quantum systems: case study of the central spin model Related content," 2014.
- [182] Y. Xia, Q. Zhuang, W. Clark, and Z. Zhang, "Repeater-enhanced distributed quantum sensing based on continuous-variable multipartite entanglement," *Phys. Rev. A*, vol. 99, no. 1, p. 012328, Jan. 2019.
- [183] E. T. Stewart, *Quantum Chemistry*, vol. 226, no. 5243. 1970.
- [184] J. McFadden and J. Al-Khalili, "The origins of quantum biology," *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 474, no. 2220. Royal Society Publishing, Dec. 12, 2018.
- [185] A. Kandala, A. Mezzacapo, K. Temme, M. Takita, M. Brink, J. M. Chow, and J. M. Gambetta, "Hardware-efficient variational quantum eigensolver for small molecules and quantum magnets," *Nature*, vol. 549, no. 7671, pp. 242–246, Sep. 2017.
- [186] G. Beach, C. Lomont, and C. Cohen, "Quantum image processing (QuIP)," in *Proceedings - Applied Imagery Pattern Recognition Workshop, 2004*, vol. 2003-January, pp. 39–44.
- [187] H. S. Li, X. Chen, H. Xia, Y. Liang, and Z. Zhou, "A Quantum Image Representation Based on Bitplanes," *IEEE Access*, vol. 6, pp. 62396–62404, 2018.
- [188] S. Yuan, X. Mao, L. Chen, and Y. Xue, "Quantum digital image processing algorithms based on quantum measurement," *Optik (Stuttg.)*, vol. 124, no. 23, pp. 6386–6390, Dec. 2013.
- [189] A. Ranjan, A. K. S. Arya, and M. Ravinder, "Quantum Techniques for Image Processing," *Proc. - IEEE 2020 2nd Int. Conf. Adv. Comput. Commun. Control Networking, ICACCCN 2020*, pp. 1035–1039, Dec. 2020.
- [190] M. R. Singh, M. Chandra Sekhar, S. Balakrishnan, and S. Masood, "Medical applications of hybrids made from quantum emitter and metallic nanoshell," *J. Appl. Phys.*, vol. 122, no. 3, p. 034306, Jul. 2017.
- [191] A. A. Abd El-Latif, B. Abd-El-Atty, M. S. Hossain, M. A. Rahman, A. Alamri, and B. B. Gupta, "Efficient Quantum Information Hiding for Remote Medical Image Sharing," *IEEE Access*, vol. 6, pp. 21075–21083, Mar. 2018.
- [192] V. Vedral, *Introduction to Quantum Information Science*, vol. 9780199215. Berlin, Heidelberg: Springer Berlin Heidelberg, 2010.
- [193] B. Zeng, X. Chen, D.-L. Zhou, and X.-G. Wen, "Quantum Information Meets Quantum Matter -- From Quantum Entanglement to Topological Phase in Many-Body Systems," *arXiv*, 2015.
- [194] C. A. Ryan, B. R. Johnson, D. Ristè, B. Donovan, and T. A. Ohki, "Hardware for dynamic quantum computing," *Rev. Sci. Instrum.*, vol. 88, no. 10, p. 104703, Oct. 2017.
- [195] R. K. Naik, N. Leung, S. Chakram, P. Groszkowski, Y. Lu, N.

- Earnest, D. C. McKay, J. Koch, and D. I. Schuster, "Random access quantum information processors using multimode circuit quantum electrodynamics," *Nat. Commun.*, vol. 8, no. 1, pp. 1–7, Dec. 2017.
- [196] C. T. Hann, C. L. Zou, Y. Zhang, Y. Chu, R. J. Schoelkopf, S. M. Girvin, and L. Jiang, "Hardware-Efficient Quantum Random Access Memory with Hybrid Quantum Acoustic Systems," *Phys. Rev. Lett.*, vol. 123, no. 25, p. 250501, Dec. 2019.
- [197] K. P. Seshadreesan and M. M. Wilde, "Fidelity of recovery, squashed entanglement, and measurement recoverability," *Phys. Rev. A - At. Mol. Opt. Phys.*, vol. 92, no. 4, pp. 1–45, 2015.
- [198] A. W. Cross, L. S. Bishop, J. A. Smolin, and J. M. Gambetta, "Open quantum assembly language," *arXiv*. arXiv, Jul. 11, 2017.
- [199] "The Q# User Guide - Azure Quantum," *Microsoft Docs*. <https://docs.microsoft.com/en-us/azure/quantum/user-guide/> (accessed Apr. 18, 2021).
- [200] D. Koch, L. Wessing, and P. M. Alsing, "Introduction to coding quantum algorithms: A tutorial series using Pyquil," *arXiv*, pp. 1–129, 2019.
- [201] G. Jaeger, "Learn Quantum Computation using Qiskit." <https://qiskit.org/textbook/preface.html> (accessed Apr. 17, 2021).
- [202] S. Agnihotri, "Quantum Machine Learning 102 — QSVM Using Qiskit," *QuantumComputingIndia*. <https://medium.com/quantumcomputingindia/quantum-machine-learning-102-qsvm-using-qiskit-731956231a54>
- [203] G. Jaeger, "Fundamentals in quantum algorithms: A tutorial series using qiskit continued," *arXiv*, 2020.
- [204] M. Shafiq, "Quantum Machine Learning: Hybrid quantum-classical Machine Learning with PyTorch and Qiskit," *Noteworthy - The Journal Blog*, 2020.
- [205] "Cirq | Google Quantum AI," 2021. <https://quantumai.google/cirq> (accessed Apr. 18, 2021).
- [206] "Amazon Braket - Amazon Web Services." <https://aws.amazon.com/braket/> (accessed Apr. 18, 2021).
- [207] Microsoft Quantum Team, "Achieving scalability in quantum computing - Microsoft Quantum," *Microsoft Quantum Blog*, 2018. <https://cloudblogs.microsoft.com/quantum/2018/05/16/achieving-scalability-in-quantum-computing/> (accessed Jul. 04, 2021).
- [208] F. Harkins, "Introduction to Qubits: Part 1," *The Quantum Daily*, 2019. <https://thequantumdaily.com/2019/10/01/introduction-to-qubits-part-1/> (accessed Jul. 04, 2021).
- [209] N. Raychev, "Universal quantum operators," *Int. J. Sci. Eng. Res.*, no. June, pp. 1369–1371, 2015.